AMENDED APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	e of filing in State Engineer's Office OCT 6 1978
Retu	rned to applicant for correction
	rected application filed. DEC 5 1978
	o filed
wap	
	The applicant Alfred Inglis
	2150 Mt. View Drive , of Fallon City or Town
	Street and No. or P.O. Box No. Nevada 89406 , hereby make application for permission to appropriate the public State and Zip Code No.
	State and Zip Code No. ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
	; if a copartnership or association, give names of members.)
uon,	
•	
1.	The source of the proposed appropriation is underground Name of stream, lake or other source.
	Name of Steam, faxe of other source.
2.	The amount of water applied for is
_,	One second-foot equals 448.83 gals. per min. (a) If stored in reservoir give number of acre-feet
2	The water to be used forquasi-municipal
	Irrigation, power, mining, manufacturing, domestic, or other use.
4.	If use is for:
	(a) Irrigation (state number of acres to be irrigated)
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 12, Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point: Well #1 located in the SE 1/2
	of NW% sec. 22, Tigh, R28E, MDB&M, at a point that bears 5 of 29
	Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, Sec. 22, T19N, R28E, MDB&M.
6	it should be stated. Place of use portion of SE ¹ / ₄ of NW ¹ / ₄ sec. 22, T19N, R28E, MDB&M
0.	Describe by legal subdivision, if on unsurveyed land it should be so stated.
	Use will begin about <u>January 1st</u> and end about <u>December 31st</u> , of each year. Day and Month Day and Month
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) pump and distribution system
	State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
	State manner in which water is to be directed, whether by

9. Estimated cost of works	\$30,00	00.00
10. Estimated time required	to construct works	2 years
11. Estimated time required	to complete the application	to beneficial use 2 years
12. Remarks: For use other consumptive use.	er than irrigation or stock wa	ratering, state number and type of units to be served or annual
An estima	te of 60 single	unit lots with landscaping will be
		imately 1 acre is proposed.
ApplicantAlfred In		
		By s/ Lowell D. Emery
Compared 1p/b1	jm/dh	Lowell D. Emery, SWRS 536 P.O. Box 84 Fallon, Nev. 89406
	APPROVAL	OF STATE ENGINEER
This is to certify that I following limitations and con-		ing application, and do hereby grant the same, subject to the
two (2) inch opening		
must be installed an installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, pursuse of the water her No perforations	ined in the dischar is must be kept of water any use a filed. This source suant to NRS 534.030 is are to be placed water and source at the source are to be placed water and sou	went waste. A totalizing meter must be ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of e is located within an area designated by the The State retains the right to regulate the and all times. Thin 100 feet of the top of the well casing.
must be installed an installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, pursuse of the water her No perforations The amount of water to be a	ined in the dischar is must be kept of war led before any use as filed. This source suant to NRS 534.030 rein granted at any are to be placed warppropriated shall be limited	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of e is located within an area designated by the The State retains the right to regulate the and all times. The ithin 100 feet of the top of the well casing.
must be installed an installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, pursuse of the water her No perforations The amount of water to be a not to exceed	ined in the dischar is must be kept of work and the left and use is filed. This source suant to NRS 534.030 is are to be placed work appropriated shall be limited 0.5	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of e is located within an area designated by the The State retains the right to regulate the and all times. The ithin 100 feet of the top of the well casing. The amount which can be applied to beneficial use, and cubic feet per second, but not to exceed 21.9
must be installed an installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, pursuse of the water her No perforations The amount of water to be a mot to exceed million gallons annual	ined in the dischar is must be kept of war led before any use is filed. This source suant to NRS 534.030 rein granted at any is are to be placed warppropriated shall be limited 0.5	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of e is located within an area designated by the The State retains the right to regulate the and all times. The introduction of the top of the well casing of the top of the well casing of the amount which can be applied to beneficial use, and coubic feet per second, but not to exceed 21.9
must be installed and installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, purs use of the water her No perforations The amount of water to be a not to exceed million gallons annu Actual construction work shall	ined in the dischar is must be kept of work led before any use is filed. This source is granted at any is are to be placed work appropriated shall be limited 0.5	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of e is located within an area designated by the The State retains the right to regulate the and all times. The introduction of the well casing of the top of the well casing of the amount which can be applied to beneficial use, and cubic feet per second, but not to exceed 21.9 October 12, 1979
must be installed and installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, purs use of the water her No perforations The amount of water to be a not to exceed million gallons annu Actual construction work shall Proof of commencement of w	ined in the dischar is must be kept of work shall be kept of work shall be filed before	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of e is located within an area designated by the The State retains the right to regulate the and all times. The introduction of the well casing of the top of the well casing of the amount which can be applied to beneficial use, and cubic feet per second, but not to exceed 21.9 October 12, 1979 November 12, 1979
must be installed and installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, purs use of the water her No perforations The amount of water to be a mot to exceed million gallons annu Actual construction work shall Proof of commencement of w Work must be prosecuted with the same and th	ined in the dischar is must be kept of work shall be filed before	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of the is located within an area designated by the test and all times. Ithin 100 feet of the top of the well casing the cubic feet per second, but not to exceed 21.9 October 12, 1979 November 12, 1979 October 12, 1980
must be installed and installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, purs use of the water her No perforations The amount of water to be a not to exceed million gallons annu Actual construction work shall Proof of commencement of w Work must be prosecuted with Proof of completion of work	ined in the dischar is must be kept of work shall be filed before	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of the is located within an area designated by the located within an area designated by the located all times. The State retains the right to regulate the land all times. The interpolation of the top of the well casing of the location of the well casing. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the land area designated by the land all times. The state retains the right to regulate the land all times. The state retains the land area designated by the land all times. The state retains the right to regulate the land all times. The state retains the land area designated by the land all times. The state retains the right to regulate the land all times. The state retains the land area designated by the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the right to regulate the land all times. The state retains the land all times. The state retains the right to reg
must be installed and installed and mainta accurate measurement meter must be instal Completion of Work i State Engineer, purs use of the water her No perforations The amount of water to be a not to exceed million gallons annu Actual construction work shall Proof of commencement of w Work must be prosecuted with Proof of completion of work Application of water to beneficial construction work shall proof of completion of work Application of water to beneficial construction water to beneficial construction of water to beneficial construction water to be constructed with the construc	ined in the dischar is must be kept of work shall be filed before	ge pipeline near the point of diversion and ater placed to beneficial use. The totalizing of water begins, or before the Proof of the is located within an area designated by the test and all times. Ithin 100 feet of the top of the well casing at the case of the top of the well casing at the complete of the top of the well casing at the complete of the top of the well casing at the complete of the top of the well casing at the complete of the top of the well casing at the complete of the top of the well casing at the complete of the top of the well casing at the complete of the top of the well casing at the complete of the top of the well casing at the complete of the top of the well casing at the complete of

Exhibit "A"

Well #1 in the SE_4^1 of NW_4^1 , Sec. 22, Township 19 North, Range 28 East, MDB&M, at a point that bears S 61° 29! 30" W a distance of 1161.05 feet from the NE corner of SE_4^1 of NW_4^1 , Sec. 22, Township 19 North, Range 28 East, MDB&M.

Also, Well #2 in the $SE_{\frac{1}{4}}$ of $NW_{\frac{1}{4}}$, Sec. 22, Township 19 North, Range 28 East, MDB&M, at a point that bears S 59 22 00 W a distance of 1185.73 feet from the NE corner of $SE_{\frac{1}{4}}$ of $NW_{\frac{1}{4}}$, Sec. 22, Township 19 North, Range 28 East, MDB&M.

